

ONVIF[™] Profile Q Client Test Specification

Version 17.06

June 2017



© 2017 ONVIF, Inc. All rights reserved.

Recipients of this document may copy, distribute, publish, or display this document so long as this copyright notice, license and disclaimer are retained with all copies of the document. No license is granted to modify this document.

THIS DOCUMENT IS PROVIDED "AS IS," AND THE CORPORATION AND ITS MEMBERS AND THEIR AFFILIATES, MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THIS DOCUMENT ARE SUITABLE FOR ANY PURPOSE; OR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

IN NO EVENT WILL THE CORPORATION OR ITS MEMBERS OR THEIR AFFILIATES BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THIS DOCUMENT, WHETHER OR NOT (1) THE CORPORATION, MEMBERS OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR (2) SUCH DAMAGES WERE REASONABLY FORESEEABLE, AND ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THIS DOCUMENT. THE FOREGOING DISCLAIMER AND LIMITATION ON LIABILITY DO NOT APPLY TO, INVALIDATE, OR LIMIT REPRESENTATIONS AND WARRANTIES MADE BY THE MEMBERS AND THEIR RESPECTIVE AFFILIATES TO THE CORPORATION AND OTHER MEMBERS IN CERTAIN WRITTEN POLICIES OF THE CORPORATION.



REVISION HISTORY

Vers.	Date	Description	
17.06	Jun 15, 2017	Links in Normative references section were updated.	
16.07	Mar 14, 2016	www.onvif.org was removed from Copyright section.	
16.01	Nov 23, 2015	General item (Test Owerview) was added	
		Minor updates in formatting, typos and terms.	
16.01 Sep 25, 2015 Initial version:		Initial version:	
		General parts added	
		Transition to Operational State Test Cases added	



Table of Contents

1	Intr	Introduction				
	1.1	Scop	pe	5		
	1.2	Trans	sition to Operational State	5		
2	Nor	Normative references				
3	Ter	Terms and Definitions				
	3.1 Conventions					
	3.2 Definitions					
	3.3 Abbreviations					
	3.4	Nam	espaces	8		
4 Test Overview				9		
	4.1	Gene	eral	9		
		4.1.1	Feature Level Requirement	9		
		4.1.2	Expected Scenarios Under Test	9		
		4.1.3	Test Cases	10		
	4.2	Test	Setup	10		
	4.3	Prere	equisites	10		
5	Trar	nsition t	o Operational State Test Cases	12		
	5.1	Featu	ure Level Requirement:	12		
	5.2	5.2 Expected Scenarios Under Test:				
	5.3	3 TRANSITION TO OPERATIONAL STATE BY CREATEUSERS 12				
	5 4	TRAN	ISITION TO OPERATIONAL STATE BY SET USER	14		



1 Introduction

The goal of the ONVIF Test Specification set is to make it possible to realize fully interoperable IP physical security implementations from different vendors. This specification also acts as an input document to the development of a test tool which will be used to test the ONVIF Client implementation conformance towards ONVIF standard. This Client Test Tool analyzes network communications between ONVIF Devices and Clients being tested and determines whether a specific Client is ONVIF conformant (see ONVIF Conformance Process Specification).

This particular document defines test cases required for testing Profile Q features of a Client application e.g. Transition to Operational State. It also describes the test framework, test setup, prerequisites, test policies needed for the execution of the described test cases.

1.1 Scope

This ONVIF Profile Q Client Test Specification defines and regulates the conformance testing procedure for the ONVIF conformant Clients in the scope of Profile Q features. Conformance testing is meant to be black-box network traces analysis and verification. The objective of this specification is to provide the test cases to test individual requirements of ONVIF Clients in the scope of Profile Q features according to ONVIF Profile Specifications.

The principal intended purposes are:

- · Provide self-assessment tool for implementations.
- · Provide comprehensive test suite coverage for Profile Q features.

This specification does not address the following:

- 3rd parties Client use cases
- · Non-functional (performance and regression) testing and analysis.
- SOAP Implementation Interoperability test i.e. Web Services Interoperability Basic Profile version 2.0 (WS-I BP2.0).
- Network protocol implementation Conformance test for HTTPS and HTTP protocols.

The following sections cover test cases needed for the verification of relevant features as mentioned in the ONVIF Profile Specifications.

1.2 Transition to Operational State

Transition to Operational State section specifies Client ability to transit an ONVIF Device from Factory Default State into Operational State.

2 Normative references

· ONVIF Conformance Process Specification:

https://www.onvif.org/profiles/conformance/

ONVIF Profile Policy:

https://www.onvif.org/profiles/

ONVIF Core Specifications:

https://www.onvif.org/profiles/specifications/

ONVIF Core Client Test Specification:

https://www.onvif.org/profiles/conformance/client-test/

· ONVIF Profile Q Specification:

https://www.onvif.org/profiles/profile-q/

ISO/IEC Directives, Part 2, Annex H:

http://www.iso.org/directives

ISO 16484-5:2014-09 Annex P:

https://www.iso.org/obp/ui/#!iso:std:63753:en

· WS-BaseNotification:

http://docs.oasis-open.org/wsn/wsn-ws_base_notification-1.3-spec-os.pdf

W3C SOAP 1.2, Part 1, Messaging Framework:

http://www.w3.org/TR/soap12-part1/

W3C XML Schema Part 1: Structures Second Edition:

http://www.w3.org/TR/xmlschema-1/

W3C XML Schema Part 2: Datatypes Second Edition:

"http://www.w3.org/TR/xmlschema-2/ [http://www.w3.org/TR/xmlschema-2/]

• W3C Web Services Addressing 1.0 - Core:

http://www.w3.org/TR/ws-addr-core/



3 Terms and Definitions

3.1 Conventions

The key words "shall", "shall not", "should", "should not", "may", "need not", "can", "cannot" in this specification are to be interpreted as described in [ISO/IEC Directives Part 2].

3.2 Definitions

This section describes terms and definitions used in this document.

Profile See ONVIF Profile Policy.

Profile Q The Profile Q Specification.

ONVIF Device Computer appliance or software program that exposes one or

multiple ONVIF Web Services.

ONVIF Client Computer appliance or software program that uses ONVIF

Web Services.

Conversation A Conversation is all exchanges between two MAC

addresses that contain SOAP request and response.

Network network is an interconnected group of devices

communicating using the Internet protocol.

Network Trace Capture file Data file created by a network protocol analyzer software

(such as Wireshark). Contains network packets data recorded

during a live network communications.

SOAP

SOAP is a lightweight protocol intended for exchanging structured information in a decentralized, distributed environment. It uses XML technologies to define an distributed extensible messaging framework providing a message construct that can be exchanged over a variety of underlying

protocols.

Client Test Tool ONVIF Client Test Tool that tests ONVIF Client

implementation towards the ONVIF Test Specification set.

Factory Default State The state of the Profile Q device prior to setting an

Administrator password. In this state, the device accepts any

commands without authentication.

Operational State The state of the Profile Q device after setting an Administrator

password. The device requires an authentication according to the ONVIF default access policy to accept commands.

3.3 Abbreviations

This section describes abbreviations used in this document.

HTTP Hyper Text Transport Protocol.



HTTPS Hyper Text Transport Protocol over Secure Socket Layer.

IP Internet Protocol.

IPv4 Internet Protocol version 4.

TCP Transport Control Protocol.

UDP User Datagram Protocol.

URI Uniform Resource Identifier.

WSDL Web Services Description Language.

WS-I BP 2.0 Web Services Interoperability Basic Profile version 2.0.

XML eXtensible Markup Language.

3.4 Namespaces

Prefix and namespaces used in this test specification are listed in Table 1. **These prefixes are not** part of the standard and an implementation can use any prefix.

Table 3.1. Defined namespaces in this specification

Prefix	Namespace URI	Description
soapenv	http://www.w3.org/2003/05/soap- envelope	Envelope namespace as defined by SOAP 1.2 [SOAP 1.2, Part 1]
xs	http://www.w3.org/2001/XMLSchema	Instance namespace as defined by XS [XML-Schema, Part1] and [XMLSchema,Part 2]
xsi	http://www.w3.org/2001/XMLSchema-instance	XML schema instance namespace
tns1	http://www.onvif.org/ver10/topics	The namespace for the ONVIF topic namespace
tt	http://www.onvif.org/ver10/schema	ONVIF XML schema descriptions
tds	http://www.onvif.org/ver10/device/wsdl	The namespace for the WSDL device service
tev	http://www.onvif.org/ver10/events/wsdl	The namespace for the WSDL event service
tas	http://www.onvif.org/ver10/ advancedsecurity/wsdl	The namespace for the WSDL advanced security service
wsnt	http://docs.oasis-open.org/wsn/b-2	Schema namespace of the [WS-BaseNotification] specification.



4 Test Overview

This section provides information for the test setup procedure and required prerequisites that should be followed during test case execution.

An ONVIF Client conformant to Profile Q is an ONVIF Client that can transit an ONVIF Device conformant to Profile Q into Operational State.

An ONVIF Profile is described by a fixed set of functionalities through a number of services that are provided by the ONVIF standard. A number of services and functionalities are mandatory for each type of ONVIF Profile. An ONVIF Device and ONVIF Client may support any combination of Profiles and other optional services and functionalities.

4.1 General

Test Cases are grouped depending on features. Each Test Cases group provides description of feature requirement level for Profiles, expected scenario under test and related test cases:

- Feature Level Requirement
- · Expected Scenarios Under Test
- · List of Test Cases

4.1.1 Feature Level Requirement

Feature Level Requirement item contains a feature ID and feature requirement level for the Profiles, which will be used for Profiles conformance.

If Feature Level Requirement is defined as Mandatory for some Profile, Client shall pass Expected Scenario Under Test for each Device with this Profile support to claim this Profile Conformance.

If Feature Level Requirement is defined as Conditional, Optional for some Profile, Client shall pass Expected Scenario Under Test for at least one Device with this Profile support to claim feature as supported.

4.1.2 Expected Scenarios Under Test

Expected Scenarios Under Test item contains expected scenario under test, conditions when the feature will be defined as supported and as not supported.



4.1.3 Test Cases

Test Case items contain list of test cases which are related to feature. Test cases provide exact procedure of testing feature support conditions.

Each Test Case contains the following parts:

- · Test Label Unique label for each test
- Test Case ID Unique ID for each test
- Profile Normative References Requirement level for the feature under test is defined in Profile Specification. This reference is informative and will not be used in conformance procedure.
- Feature Under Test Feature which is under current test. Typically a particular command or an event.
- Test Purpose The purpose of current test case.
- Pre-Requisite The pre-requisite defines when the test should be performed. In case if pre-requisite does not match, the test result will be NOT DETECTED.
- Test Procedure scenario expected to be reflected in network trace file.
- Test Result Passed and failed criteria of the test case. Depending on these criteria test result will be defined as PASSED or FAILED.
- · Validated Feature List list of features ID related to this test case.

4.2 Test Setup

Collect Network Traces files required by the test cases.

Collect Feature List XML files for Devices detected in the Network Trace files.

Client shall support all mandatory and conditional features listed in the Device Feature List XML file supplied for the Profiles supported by the Client.

For compatibility with the Profile Q, the ONVIF Client shall follow the requirements of the conformance process. For details, please, see the latest ONVIF Conformance Process Specification.

4.3 Prerequisites

The pre-requisites for executing the test cases described in this Test Specification include:



The Device shall be configured with an IPv4 address.

The Device shall be able to be discovered by the Client.

www.onvif.org 11



5 Transition to Operational State Test Cases

5.1 Feature Level Requirement:

Validated Feature: TransitionToOperationalState

Profile Q Requirement: Mandatory

5.2 Expected Scenarios Under Test:

- 1. A Client connects to a Device in Factory Default State to invoke its transition into Operational State.
- 2. The Client is considered as supporting Transition to Operational State if the following conditions are met:
 - The Client is able to invoke the Device transition into the Operational State by using EITHER CreateUsers OR SetUser operations.
- 3. The Client is considered as NOT supporting Transition to Operational State if ANY of the following is TRUE:
 - No valid response to CreateUsers request OR
 - No valid response to SetUser request AND
 - SetUser request does not contain user with Username value contained in GetUsers response.

5.3 TRANSITION TO OPERATIONAL STATE BY CREATEUSERS

Test Label: Transition to Operational State by Create User

Test Case ID: TRANSITIONTOOPERATIONALSTATE-1

Profile Q Normative Reference: Mandatory

Feature Under Test: Transition to Operational State

Test Purpose: To verify that a Client is able to invoke Device transition into Operational State using

the CreateUsers.



Pre-Requisite:

 The Network Trace Capture files contains at least one Conversation between Client and Device in Factory Default state with CreateUsers operation without any authentication which contains User with "Administrator" user level present.

Test Procedure (expected to be reflected in network trace file):

- 1. Client invokes **CreateUsers** request message without any authentication and with nonempty password to create a new admin user.
- 2. Device responds with code HTTP 200 OK and CreateUsersResponse message.

Test Result:

PASS -

- Client CreateUsers request messages are valid according to XML Schemas listed in Namespaces AND
- Client **CreateUsers** request in Test Procedure fulfills the following requirements:
 - [S1] soapenv:Body element has child element tds:CreateUsers AND
 - [S2] It does not contain Digest Authentication part AND
 - [S3] It does not contain WS-Username Token Authentication part AND
 - It contains tds:User element which fulfills the following requirements:
 - [S4] tt:Username element has non-empty string value AND
 - [S5] It contains tt:Password element AND
 - [S6] tt:Password element has non-empty string value AND
 - [S7] tt:UserLevel element value equals "Administrator" AND
- Device response to the **CreateUsers** request fulfills the following requirements:
 - · [S8] It has HTTP 200 response code AND
 - [S9] soapenv:Body element has child element tds:CreateUsersResponse

FAIL -

The Client failed PASS criteria.

Validated Feature List: transition_to_operational_state.create_users



5.4 TRANSITION TO OPERATIONAL STATE BY SET USER

Test Label: Transition to Operational State by Set User

Test Case ID: TRANSITIONTOOPERATIONALSTATE-2

Profile Q Normative Reference: Mandatory

Feature Under Test: Transition to Operational State

Test Purpose: To verify that a Client is able to invoke Device transition into Operational State using the **SetUser**.

Pre-Requisite:

 The Network Trace Capture files contains at least one Conversation between Client and Device in Factory Default state with SetUser operation without any authentication and with UserLevel is equal to "Administrator" present.

Test Procedure (expected to be reflected in network trace file):

- 1. Client invokes **GetUsers** request message without any authentication to retrieve user list from Device.
- 2. Device responds with code HTTP 200 OK and **GetUsersResponse** message.
- 3. Client invokes **SetUser** request message without any authentication to modify the password of an existing admin user.
- 4. Device responds with code HTTP 200 OK and **SetUserResponse** message.

Test Result:

PASS -

- Client SetUser request messages are valid according to XML Schemas listed in Namespaces AND
- Client **SetUser** request in Test Procedure fulfills the following requirements:
 - [S1] soapenv:Body element has child element tds:SetUser AND
 - · [S2] It does not contain Digest Authentication part AND
 - [S3] It does not contain WS-Username Token Authentication part AND
 - It contains tds:User element which fulfills the following requirements:



- [S4] tt:Username element has non-empty string value AND
- [S5] It contains tt:Password element AND
- [S6] tt:Password element has non-empty string value AND
- [S7] tt:UserLevel element value equals "Administrator" AND
- Device response to the **SetUser** request fulfills the following requirements:
 - [S8] It has HTTP 200 response code AND
 - [S9] soapenv:Body element has child element tds:SetUserResponse
- There is a Client **GetUsers** request message in Test Procedure fulfills the following requirements:
 - [S10] It is invoked for the same Device as the response for the SetUser request AND
 - · [S11] It is invoked before the Client SetUser request AND
 - [S12] It does not contain digest authentication part AND
 - [S13] It does not contain WS-username token authentication part AND
- Device response to the **GetUsers** request fulfills the following requirements:
 - [S14] It has HTTP 200 response code AND
 - [S15] soapenv:Body element has child element tds:GetUsersResponse
 - [S16] It contains **tt:User** element which fulfills the following requirements:
 - [S17] **tt:Username** element value equals to **tt:Username** value from the **SetUser** request AND
 - [S18] UserLevel element value equals "Administrator".

FAIL -

The Client failed PASS criteria.

Validated Feature List: transition to operational state.set user