

ONVIF®

Profile Q Client Test Specification

Version 19.06

June 2019

www.onvif.org

© 2019 ONVIF, Inc. All rights reserved.

Recipients of this document may copy, distribute, publish, or display this document so long as this copyright notice, license and disclaimer are retained with all copies of the document. No license is granted to modify this document.

THIS DOCUMENT IS PROVIDED "AS IS," AND THE CORPORATION AND ITS MEMBERS AND THEIR AFFILIATES, MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR TITLE; THAT THE CONTENTS OF THIS DOCUMENT ARE SUITABLE FOR ANY PURPOSE; OR THAT THE IMPLEMENTATION OF SUCH CONTENTS WILL NOT INFRINGE ANY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

IN NO EVENT WILL THE CORPORATION OR ITS MEMBERS OR THEIR AFFILIATES BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THIS DOCUMENT, WHETHER OR NOT (1) THE CORPORATION, MEMBERS OR THEIR AFFILIATES HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, OR (2) SUCH DAMAGES WERE REASONABLY FORESEEABLE, AND ARISING OUT OF OR RELATING TO ANY USE OR DISTRIBUTION OF THIS DOCUMENT. THE FOREGOING DISCLAIMER AND LIMITATION ON LIABILITY DO NOT APPLY TO, INVALIDATE, OR LIMIT REPRESENTATIONS AND WARRANTIES MADE BY THE MEMBERS AND THEIR RESPECTIVE AFFILIATES TO THE CORPORATION AND OTHER MEMBERS IN CERTAIN WRITTEN POLICIES OF THE CORPORATION.



REVISION HISTORY

Vers.	Date	Description			
19.06	Jun 14, 2019	The following was done according to #309:			
		'Validated Feature' section for each feature updated to be synchronized with feature ID used in feature list.			
		'Feature Under Test' section for each test case updated to be synchronized with sub-feature ID used in feature list.			
		'Validated Feature List' test case section removed.			
18.06	Jun 21, 2018	Reformatting document using new template			
18.06	Apr 05, 2018	'Required Number of Devices Summary' Annex added according to #241			
18.06	Feb 16, 2018	The following were updated in the scope of #241:			
		Feature Level Requirement (updated with new rules)			
		Each Feature Level Requirement (updated with Check Condition based on Device Features and Required Number of Devices)			
17.06	Jun 15, 2017	Links in Normative references section were updated.			
16.07	Mar 14, 2016	www.onvif.org was removed from Copyright section.			
16.01	Nov 23, 2015	General item (Test Owerview) was added			
		Minor updates in formatting, typos and terms.			
16.01	Sep 25, 2015	Initial version:			
		General parts added			
		Transition to Operational State Test Cases added			

Table of Contents			
1	Introduction		
	1.1	Scope	5
	1.2	Transition to Operational State	5
2	Norm	native references	6
3	Term	is and Definitions	7
	3.1	Conventions	. 7
	3.2	Definitions	. 7
	3.3	Abbreviations	. 7
	3.4	Namespaces	. 8
4	Test	Overview	9
	4.1	General	. 9
	4	4.1.1 Feature Level Requirement	9
	4	4.1.2 Expected Scenarios Under Test	9
	4	4.1.3 Test Cases	10
	4.2	Test Setup	10
	4.3	Prerequisites	10
5	Trans	sition to Operational State Test Cases 1	2
	5.1	Feature Level Requirement:	
	5.2	Expected Scenarios Under Test: 1	12
5.3 TRANSITION TO OPERATIONAL STATE BY CREATEUSERS			2
	5.4	TRANSITION TO OPERATIONAL STATE BY SET USER 1	4
Α	Test	for Appendix A	16
	A.1	Required Number of Devices Summary 1	16

1 Introduction

The goal of the ONVIF Test Specification set is to make it possible to realize fully interoperable IP physical security implementations from different vendors. This specification also acts as an input document to the development of a test tool which will be used to test the ONVIF Client implementation conformance towards ONVIF standard. This Client Test Tool analyzes network communications between ONVIF Devices and Clients being tested and determines whether a specific Client is ONVIF conformant (see ONVIF Conformance Process Specification).

This particular document defines test cases required for testing Profile Q features of a Client application e.g. Transition to Operational State. It also describes the test framework, test setup, prerequisites, test policies needed for the execution of the described test cases.

1.1 Scope

This ONVIF Profile Q Client Test Specification defines and regulates the conformance testing procedure for the ONVIF conformant Clients in the scope of Profile Q features. Conformance testing is meant to be black-box network traces analysis and verification. The objective of this specification is to provide the test cases to test individual requirements of ONVIF Clients in the scope of Profile Q features according to ONVIF Profile Specifications.

The principal intended purposes are:

- Provide self-assessment tool for implementations.
- Provide comprehensive test suite coverage for Profile Q features.

This specification **does not** address the following:

- 3rd parties Client use cases
- Non-functional (performance and regression) testing and analysis.
- SOAP Implementation Interoperability test i.e. Web Services Interoperability Basic Profile version 2.0 (WS-I BP2.0).
- Network protocol implementation Conformance test for HTTPS and HTTP protocols.

The following sections cover test cases needed for the verification of relevant features as mentioned in the ONVIF Profile Specifications.

1.2 Transition to Operational State

Transition to Operational State section specifies Client ability to transit an ONVIF Device from Factory Default State into Operational State.

DVIF[®] | Standardizing IP Connectivity for Physical Security

2 Normative references

• ONVIF Conformance Process Specification:

https://www.onvif.org/profiles/conformance/

• ONVIF Profile Policy:

https://www.onvif.org/profiles/

ONVIF Core Specifications:

https://www.onvif.org/profiles/specifications/

ONVIF Core Client Test Specification:

https://www.onvif.org/profiles/conformance/client-test/

ONVIF Profile Q Specification:

https://www.onvif.org/profiles/profile-q/

ISO/IEC Directives, Part 2, Annex H:

http://www.iso.org/directives

• ISO 16484-5:2014-09 Annex P:

https://www.iso.org/obp/ui/#!iso:std:63753:en

WS-BaseNotification:

http://docs.oasis-open.org/wsn/wsn-ws_base_notification-1.3-spec-os.pdf

• W3C SOAP 1.2, Part 1, Messaging Framework:

http://www.w3.org/TR/soap12-part1/

• W3C XML Schema Part 1: Structures Second Edition:

http://www.w3.org/TR/xmlschema-1/

W3C XML Schema Part 2: Datatypes Second Edition:

"http://www.w3.org/TR/xmlschema-2/ [http://www.w3.org/TR/xmlschema-2/]

• W3C Web Services Addressing 1.0 - Core:

http://www.w3.org/TR/ws-addr-core/

3 Terms and Definitions

3.1 Conventions

The key words "shall", "shall not", "should", "should not", "may", "need not", "can", "cannot" in this specification are to be interpreted as described in [ISO/IEC Directives Part 2].

3.2 Definitions

This section describes terms and definitions used in this document.

Profile	See ONVIF Profile Policy.		
Profile Q	The Profile Q Specification.		
ONVIF Device	Computer appliance or software program that exposes one or multiple ONVIF Web Services.		
ONVIF Client Computer appliance or software program that use Web Services.			
Conversation A Conversation is all exchanges between tw addresses that contain SOAP request and response			
Network	A network is an interconnected group of devices communicating using the Internet protocol.		
Network Trace Capture file Data file created by a network protocol analyzer so (such as Wireshark). Contains network packets data reduring a live network communications.			
SOAP	SOAP is a lightweight protocol intended for exchanging structured information in a decentralized, distributed environment. It uses XML technologies to define an extensible messaging framework providing a message construct that can be exchanged over a variety of underlying protocols.		
Client Test Tool	ONVIF Client Test Tool that tests ONVIF Client implementation towards the ONVIF Test Specification set.		
Factory Default State	The state of the Profile Q device prior to setting an Administrator password. In this state, the device accepts any commands without authentication.		
Operational State	The state of the Profile Q device after setting an Administrator password. The device requires an authentication according to the ONVIF default access policy to accept commands.		

3.3 Abbreviations

This section describes abbreviations used in this document.

HTTP Hyper Text Transport Protocol.

\frown	

HTTPS	Hyper Text Transport Protocol over Secure Socket Layer.		
IP	Internet Protocol.		
IPv4	Internet Protocol version 4.		
ТСР	Transport Control Protocol.		
UDP	User Datagram Protocol.		
URI	Uniform Resource Identifier.		
WSDL	Web Services Description Language.		
WS-I BP 2.0	Web Services Interoperability Basic Profile version 2.0.		
XML	eXtensible Markup Language.		

3.4 Namespaces

Prefix and namespaces used in this test specification are listed in Table 1. These prefixes are not part of the standard and an implementation can use any prefix.

Table 3.1. Defined	namespaces	in this s	pecification
--------------------	------------	-----------	--------------

Prefix	Namespace URI	Description			
soapenv	http://www.w3.org/2003/05/soap- envelope	Envelope namespace as defined by SOAP 1.2 [SOAP 1.2, Part 1]			
xs	http://www.w3.org/2001/XMLSchema	Instance namespace as defined by XS [XML- Schema, Part1] and [XMLSchema,Part 2]			
xsi	http://www.w3.org/2001/XMLSchema- instance	XML schema instance namespace			
tns1	http://www.onvif.org/ver10/topics	The namespace for the ONVIF topic namespace			
tt	http://www.onvif.org/ver10/schema	ONVIF XML schema descriptions			
tds	http://www.onvif.org/ver10/device/wsdl	The namespace for the WSDL device service			
tev	http://www.onvif.org/ver10/events/wsdl	The namespace for the WSDL event service			
tas	http://www.onvif.org/ver10/ advancedsecurity/wsdl	The namespace for the WSDL advanced security service			
wsnt	http://docs.oasis-open.org/wsn/b-2	Schema namespace of the [WS- BaseNotification] specification.			

4 Test Overview

This section provides information for the test setup procedure and required prerequisites that should be followed during test case execution.

An ONVIF Client conformant to Profile Q is an ONVIF Client that can transit an ONVIF Device conformant to Profile Q into Operational State.

An ONVIF Profile is described by a fixed set of functionalities through a number of services that are provided by the ONVIF standard. A number of services and functionalities are mandatory for each type of ONVIF Profile. An ONVIF Device and ONVIF Client may support any combination of Profiles and other optional services and functionalities.

4.1 General

Test Cases are grouped depending on features. Each Test Cases group provides description of feature requirement level for Profiles, expected scenario under test and related test cases:

- Feature Level Requirement
- Expected Scenarios Under Test
- List of Test Cases

4.1.1 Feature Level Requirement

Feature Level Requirement item contains a feature ID, check condition based on Device features, required number of Devices and feature requirement level for the Profiles, which will be used for Profiles conformance.

To claim this Feature as supported Client shall pass Expected Scenario Under Test:

- for each Device, which supports Device Features defined in Check Condition Based on Device Features
- for at least with number of Devices specified in Required Number of Devices

If Feature Level Requirement is defined as Mandatory for some Profile, Client shall support this Feature to claim this Profile Conformance.

4.1.2 Expected Scenarios Under Test

Expected Scenarios Under Test item contains expected scenario under test, conditions when the feature will be defined as supported and as not supported.

4.1.3 Test Cases

Test Case items contain list of test cases which are related to feature. Test cases provide exact procedure of testing feature support conditions.

Each Test Case contains the following parts:

- Test Label Unique label for each test
- Test Case ID Unique ID for each test
- Profile Normative References Requirement level for the feature under test is defined in Profile Specification. This reference is informative and will not be used in conformance procedure.
- Feature Under Test Feature which is under current test. Typically a particular command or an event.
- Test Purpose The purpose of current test case.
- Pre-Requisite The pre-requisite defines when the test should be performed. In case if prerequisite does not match, the test result will be NOT DETECTED.
- Test Procedure scenario expected to be reflected in network trace file.
- Test Result Passed and failed criteria of the test case. Depending on these criteria test result will be defined as PASSED or FAILED.

4.2 Test Setup

Collect Network Traces files required by the test cases.

Collect Feature List XML files for Devices detected in the Network Trace files.

Client shall support all mandatory and conditional features listed in the Device Feature List XML file supplied for the Profiles supported by the Client.

For compatibility with the Profile Q, the ONVIF Client shall follow the requirements of the conformance process. For details, please, see the latest ONVIF Conformance Process Specification.

4.3 Prerequisites

The pre-requisites for executing the test cases described in this Test Specification include:



The Device shall be configured with an IPv4 address.

The Device shall be able to be discovered by the Client.

5 Transition to Operational State Test Cases

5.1 Feature Level Requirement:

Validated Feature: Transition to Operational State (TransitionToOperationalState)

Check Condition based on Device Features: Profile Q is supported by Device.

Required Number of Devices: 3

Profile Q Requirement: Mandatory

5.2 Expected Scenarios Under Test:

- 1. A Client connects to a Device in Factory Default State to invoke its transition into Operational State.
- 2. The Client is considered as supporting Transition to Operational State if the following conditions are met:
 - The Client is able to invoke the Device transition into the Operational State by using EITHER **CreateUsers** OR **SetUser** operations.
- 3. The Client is considered as NOT supporting Transition to Operational State if ANY of the following is TRUE:
 - · No valid response to CreateUsers request OR
 - · No valid response to SetUser request AND
 - SetUser request does not contain user with Username value contained in GetUsers response.

5.3 TRANSITION TO OPERATIONAL STATE BY CREATEUSERS

Test Label: Transition to Operational State by Create User

Test Case ID: TRANSITIONTOOPERATIONALSTATE-1

Feature Under Test: Transition to Operational State by CreateUsers (TransitionToOperationalState_TransitionToOperationalStateByCreateUsers)

Profile Q Normative Reference: Mandatory

www.onvif.org

Test Purpose: To verify that a Client is able to invoke Device transition into Operational State using the **CreateUsers**.

Pre-Requisite:

 The Network Trace Capture files contains at least one Conversation between Client and Device in Factory Default state with CreateUsers operation without any authentication which contains User with "Administrator" user level present.

Test Procedure (expected to be reflected in network trace file):

- 1. Client invokes **CreateUsers** request message without any authentication and with nonempty password to create a new admin user.
- 2. Device responds with code HTTP 200 OK and CreateUsersResponse message.

Test Result:

PASS -

- Client CreateUsers request messages are valid according to XML Schemas listed in Namespaces AND
- Client **CreateUsers** request in Test Procedure fulfills the following requirements:
 - [S1] soapenv:Body element has child element tds:CreateUsers AND
 - [S2] It does not contain Digest Authentication part AND
 - [S3] It does not contain WS-Username Token Authentication part AND
 - It contains tds:User element which fulfills the following requirements:
 - [S4] tt:Username element has non-empty string value AND
 - [S5] It contains **tt:Password** element AND
 - [S6] **tt:Password** element has non-empty string value AND
 - [S7] tt:UserLevel element value equals "Administrator" AND
- Device response to the **CreateUsers** request fulfills the following requirements:
 - [S8] It has HTTP 200 response code AND
 - [S9] soapenv:Body element has child element tds:CreateUsersResponse

FAIL -

• The Client failed PASS criteria.

5.4 TRANSITION TO OPERATIONAL STATE BY SET USER

Test Label: Transition to Operational State by Set User

Test Case ID: TRANSITIONTOOPERATIONALSTATE-2

Feature Under Test: Transition to Operational State by SetUser (TransitionToOperationalState_TransitionToOperationalStateBySetUser)

Profile Q Normative Reference: Mandatory

Test Purpose: To verify that a Client is able to invoke Device transition into Operational State using the **SetUser**.

Pre-Requisite:

 The Network Trace Capture files contains at least one Conversation between Client and Device in Factory Default state with **SetUser** operation without any authentication and with UserLevel is equal to "Administrator" present.

Test Procedure (expected to be reflected in network trace file):

- 1. Client invokes **GetUsers** request message without any authentication to retrieve user list from Device.
- 2. Device responds with code HTTP 200 OK and GetUsersResponse message.
- 3. Client invokes **SetUser** request message without any authentication to modify the password of an existing admin user.
- 4. Device responds with code HTTP 200 OK and SetUserResponse message.

Test Result:

PASS -

- Client SetUser request messages are valid according to XML Schemas listed in Namespaces AND
- Client SetUser request in Test Procedure fulfills the following requirements:
 - [S1] soapenv:Body element has child element tds:SetUser AND
 - [S2] It does not contain Digest Authentication part AND

DVIF[®]

- [S3] It does not contain WS-Username Token Authentication part AND
- It contains tds:User element which fulfills the following requirements:
 - [S4] tt:Username element has non-empty string value AND
 - [S5] It contains tt:Password element AND
 - [S6] **tt:Password** element has non-empty string value AND
 - [S7] tt:UserLevel element value equals "Administrator" AND
- Device response to the SetUser request fulfills the following requirements:
 - [S8] It has HTTP 200 response code AND
 - [S9] soapenv:Body element has child element tds:SetUserResponse
- There is a Client **GetUsers** request message in Test Procedure fulfills the following requirements:
 - [S10] It is invoked for the same Device as the response for the SetUser request AND
 - [S11] It is invoked before the Client SetUser request AND
 - [S12] It does not contain digest authentication part AND
 - [S13] It does not contain WS-username token authentication part AND
- Device response to the GetUsers request fulfills the following requirements:
 - [S14] It has HTTP 200 response code AND
 - [S15] soapenv:Body element has child element tds:GetUsersResponse
 - [S16] It contains tt:User element which fulfills the following requirements:
 - [S17] **tt:Username** element value equals to **tt:Username** value from the **SetUser** request AND
 - [S18] UserLevel element value equals "Administrator".

FAIL -

• The Client failed PASS criteria.

Annex A Test for Appendix A

A.1 Required Number of Devices Summary

Required number of devices and Device feature dependency used in this test specification are listed in the Table.

Table A.1. Required Number of Devices Summary

Feature ID	Feature Name	Required	Check Condition	Check Condition
		Number of	based on	based on Device
		Devices	Device Features	Features ID
tc.Transitio	Transition to	3	Profile Q is	ProfileQSupp
nToOperationa	Operational State		supported by	orted
IState			Device.	